

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number	A452
Lot Number	254630
Description	METHANOL, HPLC GRADE, A.C.S.
CAS Number	67-56-1
Quality Test/Release Date	05/Dec/2025
Suggested retest date	04/Dec/2030
Country of Origin	United States
Declaration of Origin	Organic - synthetic
BSE/TSE	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear, colorless liquid
ASSAY	%	>= 99.9	100.0
CARBONYL COMPOUNDS	%	<= 0.001	<0.001
COLOR	APHA	<= 5	<5
EVAPORATION RESIDUE	ppm	<= 3	1
FLUORESCENCE BACKGROUND	PASS/FAIL	= PASS TEST	PASS TEST
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
LC GRADIENT SUITABILITY	PASS/FAIL	= PASS TEST	PASS TEST
OPTICAL ABS AT 205 NM	ABSORBANCE UNITS	<= 1.00	0.83
OPTICAL ABS AT 220 NM	ABSORBANCE UNITS	<= 0.30	0.21
OPTICAL ABS AT 230 NM	ABSORBANCE UNITS	<= 0.15	0.10
OPTICAL ABS AT 254 NM	ABSORBANCE UNITS	<= 0.025	0.010
REFRACTIVE INDEX @ 25 DEG C		Inclusive Between 1.3260 - 1.3300	1.3265
SOLUBILITY IN WATER	PASS/FAIL	= PASS TEST	PASS TEST
SUBSTANCES DARKENED BY H2SO4	PASS/FAIL	= PASS TEST	PASS TEST
SUBSTANCES REDUCING KMNO4	PASS/FAIL	= PASS TEST	PASS TEST
TITRATABLE ACID	MEQ/G	<= 0.0003	0.0001
TITRATABLE BASE	MEQ/G	<= 0.0002	0.0001
WATER (H2O)	%	<= 0.1	<0.1

Ash Frey
Supervisor, Quality Control

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.