

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
 Certificate Number. 951001163

Catalogue Number	J64963
Lot Number	Q30L045
Description	Protease Inhibitor Cocktail II
Quality Test/Release Date	30/Apr/2025
Suggested retest date	30/Apr/2030
Country of Origin	United States
Declaration of Origin	Synthetic
BSE/TSE	Fermentation (without any animal/human derived product in broth)

Result Name	Units	Specifications	Test Value
Appearance (Color)		White	White
Concentration	mM	Pepstatin A: 2 mM	2
Concentration	mM	EDTA: 85 mM	85
Concentration	µM	E-64: 200 µM	200
Concentration	mM	Bestatin: 1.7 mM	1.7
Concentration	mM	AEBSF, HCl: 20 mM	20
Form		Lyophilized solid	Lyophilized solid



John Astarita
 Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.