

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
 Certificate Number. 951001163

Catalogue Number	J67820
Lot Number	P08M517
Description	Krebs-Heneseleit buffer solution
Quality Test/Release Date	04/Mar/2026
Suggested retest date	04/Sep/2027
Country of Origin	Canada
Declaration of Origin	Synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (including but not limited to fermentation or nutrient broth, catalyts, enzymes).

Result Name	Units	Specifications	Test Value
Comment	mM	Calcium Chloride:Reported	1.25
Comment	mM	Glucose:Reported	11.1
Comment	mM	HEPES:Reported	10
Comment	mM	KCL:Reported	4.7
Comment	mM	Magnesium Sulfate:Reported	1.2
Comment	mM	Poassium Sulfate Monobasic:Reported	1.2
Comment	mM	Sodium Bicarbonate:Reported	25
Comment	mM	Sodium Chloride:Reported	118
Form		Reported	Clear liquid
pH		Reported	7.4 +/-0.15



Derek Roy
 Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.