

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global
Certificate Number. QMS42099

Catalogue Number	44745
Lot Number	TEST2A
Description	Acetone EP Grade For analysis
CAS Number	67-64-1
Quality Test/Release Date	13/Apr/2026
Expiry Phrase	Use within 5 years of opening
Country of Origin	Finland

Result Name	Units	Specifications	Test Value
Acidity/alkalinity (Pass/Fail)		Must be 'Pass'	Pass
Appearance		Must be 'Clear, colourless'	Clear, colourless
Appearance of solution (Pass/Fail)		Must be 'Pass'	Pass
Benzene (ppm)	ppm	<= 2	1
Chemical form		Mobile liquid	Mobile liquid
Identification		Must be 'Pass'	Pass
Insoluble matter (Pass/Fail)		Must be 'Pass'	Pass
Isopropanol	%	<= 0.05	<0.0001
Methanol	%	<= 0.05	0.02
Reducing substances (Pass/Fail)		Must be 'Pass'	Pass
Relative density		>= 0.790 and <= 0.793	0.792
Residue after evaporation (ppm)	ppm	<= 50	5
Visual colour		Clear colourless	Clear colourless
Water	%	<= 0.3	0.18

Additional Information Meets the current analytical specification of Ph.Eur.



Ashok Ganatra
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.