

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	41098
Lot Number	A0472825
Description	Glycerol, 99.6%, ACS reagent
CAS Number	56-81-5
Quality Test/Release Date	16/May/2025
Suggested retest date	16/May/2028
Country of Origin	GERMANY
Declaration of Origin	plant
BSE/TSE	rapeseed sunflower palm

Result Name	Units	Specifications	Test Value
Appearance (Form)		Clear liquid	Clear liquid
Color scale	APHA	=<10	10
Infrared spectrum		Conforms	Conforms
GC	%	>=99.5	99.8
Water	%	=<0.5 (K.F.)	0.4 (K.F.)
Heavy metals (as Pb)	ppm	=<2	=<2
Refractive index		1.4700 to 1.4750 (20°C, 589 nm)	1.4733 (20°C, 589 nm)
Sulfate (SO4)	ppm	=<10	=<10
Residue after ignition	%	=<0.005	0.0005
Neutrality		Passes test	Passes test
Chlorinated cmpds (as Cl)	%	=<0.003	0.0007
Fatty acid esters	%	=<0.05 (as Butyric acid)	=<0.05 (as Butyric acid)
Substance darkened by H2SO4		Passes test	Passes test
Impurity		(Acrolein and glucose) Passes test (Acrolein and glucose) Passes test	



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.