

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	17261
Lot Number	A0468884
Description	PIPES,98.5+%,for biochemistry
CAS Number	5625-37-6
Quality Test/Release Date	14/Jan/2025
Suggested retest date	14/Jan/2030
Country of Origin	CHINA
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		White	White
Appearance (Form)		Crystalline powder	Crystalline powder
Infrared spectrum		Conforms	Conforms
Titration with NaOH	%	>=98.50	99.60
Loss on drying	%	=<0.5	0.46
Lead (Pb)	ppm	=<5	=<5
Iron (Fe)	ppm	=<15	=<15
UV		(0.1 M in 0.1 M NaOH) 1 cm cell	(0.1 M in 0.1 M NaOH) 1 cm cell
UV		at 260 nm A: =<0.05	at 260 nm A:0.009
UV		at 280 nm A: =<0.04	at 280 nm A:0.01



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.