

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
 Certificate Number. 951001163

Catalogue Number	033224
Lot Number	R15M715
Description	Diethyl ether, ACS, 98% min, stab. with 0.001% BHT and 3% ethanol
CAS Number	60-29-7
Quality Test/Release Date	15/Apr/2026
Suggested retest date	15/Apr/2028
Country of Origin	Mexico
Declaration of Origin	Synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Color (APHA)		10, max	5
Assay (GC)	%	98.0% min	99.95
Free acid (titration)	meq/g	0.0002 meq/g, max	<0.00003
Impurity content	%	0.001% carbonyl (as HCHO), max	<0.001
Peroxide content	ppm	1 ppm (as H2O2), max	<1
Residue on Evaporation	%	0.001% max	0.0001



Derek Roy
 Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.