

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	36521
Lot Number	A0459144
Description	Boron tribromide,99+%
CAS Number	10294-33-4
Quality Test/Release Date	14/Jan/2025
Suggested retest date	14/Jan/2027
Country of Origin	UNITED STATES OF AMERICA
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		Clear colorless to amber	Clear colorless
Appearance (Form)		Liquid	Liquid
Titration	%	99.0 to 101.0	99.9
Heavy metals (as Pb)	ppm	=<100	=<0.01
Sulfur (S)	ppm	=<100	=<2.5
Impurity	%	=<0.2 Free bromine (Br2)	=<0.2 Free bromine (Br2)



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.