

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
 Certificate Number. 951001163

Catalogue Number	036545
Lot Number	Z29L014
Description	Acrylamide, 99.9%
CAS Number	79-06-1
Quality Test/Release Date	02/Jan/2026
Suggested retest date	02/Jan/2028
Country of Origin	China

Result Name	Units	Specifications	Test Value
Assay	%	≥99.9%	99.9
Conductivity	µmhos	≤50 µmhos	2.1
Appearance (Color)		White	White
DNase		None detected	None detected
Free acid (titration)	ppm	≤0.001% (≤10ppm, as Acrylic acid)	1
Form		Crystals or powder or crystalline powder	Crystalline powder
Protease activity		None detected	None detected
RNase		None detected	None detected
Trace Metal	ppm	Iron, Fe: ≤0.0001% (≤1ppm)	1
Trace Metal	ppm	Lead, Pb: ≤0.0001% (≤1ppm)	1



Derek Roy
 Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.