



CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate

Number. 2317548

Catalogue Number	43394
Lot Number	A0439502

Description Guanidine thiocyanate,99+%,for molecular biology

CAS Number 593-84-0
Quality Test/Release Date 17/May/2025
Suggested retest date 17/May/2028
Country of Origin CHINA
Declaration of Origin synthetic

BSE/TSE

Not directly derived from or manufactured with any animal byproducts in any way

(Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Appearance (Color)		Colorless to white	White
Appearance (Form)		Crystalline powder or crystals	Crystalline powder
Infrared spectrum		Conforms	Conforms
Melting point		118°C to 122°C	121°C
Titration Argentometric	%	99.0 to 101.0	100.2
Loss on drying	%	=<0.5	0.1
Sulfated ash	%	=<0.05	0.03
pH		5.0 to 7.0 (1 M in water)	6.4 (1 M in water)
Copper (Cu)	ppm	=<1	=<1
Iron (Fe)	ppm	=<1	=<1
Lead (Pb)	ppm	=<1	=<1
Zinc (Zn)	ppm	=<2	=<2
Solubility		(3 M in water) Clear colorless	(3 M in water) Clear colorless
UV		at 280 nm A: =<0.4	at 280 nm A:0.273
UV		at 300 nm A: =<0.05	at 300 nm A:0.05
UV		(3 M in water)	(3 M in water)
Dnase,Rnase,Protease activity		None detected	None detected

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.