

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number	BP1421
Lot Number	253868
Description	TRYPTONE
CAS Number	91079-40-2
Quality Test/Release Date	15/Aug/2025
Suggested retest date	06/Nov/2028
Country of Origin	Mexico
Declaration of Origin	Bovine - Porcine
BSE/TSE	This material is derived from animal sources. The raw materials are from BSE/TSE free countries but have not been tested or certified to be free of BSE/TSE.

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Light beige to yellow powder
AMINO NITROGEN CONTENT	%	>= 3.9	5.5
ASH	%	<= 15.0	6.1
COLIFORM	NEGATIVE	= NEGATIVE	NEGATIVE
LOSS ON DRYING	%	<= 6.0	3.1
PH OF A 2% SOLUTION		Inclusive Between 6.5 - 7.5	7.0
SALMONELLA	NEGATIVE	= NEGATIVE	NEGATIVE
Standard Plate Count	CFU/GRAM	< 5000	<5000
TOTAL NITROGEN CONTENT	%	>= 10	12.8
TOTAL YEAST AND MOLD COUNT	CFU/GRAM	< 100	<100



Harout Sahagian
QC Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.