

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	BP9727
Lot Number	11445-16568
Description	Yeast extract, granulated
CAS Number	8013-01-2
Quality Test/Release Date	04/Apr/2024
Suggested retest date	05/Jul/2026
Country of Origin	UNITED KINGDOM
Declaration of Origin	Microbial
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Appearance (Color)		Light beige to brown	Light beige to brown
Appearance (Form)		Granules	Granules
Average particle size	mm	1 to 2	1 to 2
Moisture	%	=<6.0	4.6
pH		5.5 to 7.5 (2 % soln. at 25°C)	7 (2 % soln. at 25°C)
Total nitrogen	%	>=8.0	10.54
Amino nitrogen	%	>=3.5	5.04



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.