

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	12532		
Lot Number	A0483996		
Description	(R)-(-)-Mandelic acid,99%		
CAS Number	611-71-2		
Quality Test/Release Date	09/Jun/2026		
Suggested retest date	09/Jun/2031		
Country of Origin	CHINA		
Declaration of Origin	synthetic		
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (Including but not limited to fermentation or nutrient broth, catalysts, enzymes).		
Result Name	Units	Specifications	Test Value
Appearance (Color)		White to light yellow to light beige	White
Appearance (Form)		Crystalline powder or crystals or flakes	Crystalline powder
Infrared spectrum		Conforms	Conforms
Melting point		130°C to 135°C	132°C
Titration with NaOH	%	>=98.5	99.9
Water	%	=<1 (K.F.)	0.17 (K.F.)
Sulfated ash	%	=<0.2	=<0.2
Specific optical rotation		-152° to -158° (20°C, 589 nm) (c=2, H2O)	-154° (20°C, 589 nm) (c=2, H2O)



Geert Torfs  
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.