

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate

Number. 2317548

Catalogue Number 42414 Lot Number A0473747

Description Potassium hydroxide,ca. 85%,ACS reagent,pellets

CAS Number 1310-58-3
Quality Test/Release Date 20/Jun/2025
Suggested retest date 20/Jun/2028
Country of Origin SPAIN
Declaration of Origin synthetic

BSE/TSE

Not directly derived from or manufactured with any animal byproducts in any way

(Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value	
Appearance (Color)		White	White	
Appearance (Form)		Pellets	Pellets	
Titration with HCI	%	>=85 (KOH)	86.2 (KOH)	
Potassium carbonate	%	=<2.0 (K2CO3)	=<2.0 (K2CO3)	
Chloride (CI)	%	=<0.01	=<0.005	
Nitrogen compounds (as N)	%	=<0.001	=<0.001	
Phosphate (PO4)	ppm	=<5	=<5	
Sulfate (SO4)	%	=<0.003	=<0.003	
Heavy metals (ICP-OES)	%	=<0.001	=<0.001	
Iron (Fe)	%	=<0.001	=<0.0001	
Nickel (Ni)	%	=<0.001	=<0.000066	
Calcium (Ca)	%	=<0.005	=<0.000395	
Magnesium (Mg)	%	=<0.002	=<0.00005	
Sodium (Na)	%	=<0.05	=<0.05	

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.