

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global  
Certificate Number. QMS42099

Catalogue Number	H/0405
Lot Number	2538970
Description	Iso-Hexane HPLC
CAS Number	73513-42-5
Quality Test/Release Date	20/May/2025
Expiry Phrase	Use with 5 yrs of opening
Country of Origin	Netherlands
Declaration of Origin	Synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Absorbance @ 200 nm	A.U.	<= 0.3	0.092
Absorbance @ 210 nm	A.U.	<= 0.15	0.038
Absorbance @ 220 nm	A.U.	<= 0.07	0.019
Absorbance @ 230 nm	A.U.	<= 0.03	0.009
Absorbance @ 240 nm	A.U.	<= 0.02	0.005
Absorbance @ 250 nm	A.U.	<= 0.01	0.002
Absorbance @ 260 nm	A.U.	<= 0.005	0.001
Acidity	meq/g	<= 0.00015	0.00001
Chemical form		Mobile liquid	Mobile liquid
Residue after evaporation (ppm)	ppm	<= 2	None Detected
Visual colour		Clear colourless	Clear colourless
Water	%	<= 0.01	0.006

**Additional Information** Filtered to 0.2 micron



Ashok Ganatra  
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.