

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
Certificate Number. 951001163

Catalogue Number 036508
Lot Number R15L019
Description Sucrose, ACS
CAS Number 57-50-1
Quality Test/Release Date 15/May/2025
Suggested retest date 15/May/2030
Country of Origin India

Result Name	Units	Specifications	Test Value
Chloride content	%	≤0.005%	<0.005
Comment	meq/g	Titration acid: ≤0.0008 mag/g	<0.0008
Appearance (Color)		White	White
Form		Powder or crystalline powder	Crystalline powder
Residue on ignition	%	≤0.01%	0.005
Impurity content	%	Invert sugar: ≤0.05%	0.03
Impurity content	ppm	Iron (Fe): ≤5ppm	<5
Impurity content	%	Sulfate and sulfite (as SO ₄): ≤0.005%	<0.005
Insoluble material	%	≤0.005%	0.002
Loss on Drying	%	≤0.03%	0.01
Optical Rotation	°	+66.3° to +66.8°	+66.6
Heavy Metals (as Pb)	ppm	≤5ppm	<5



John Astarita
Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.