

Fisher Scientific UK Ltd. Bishop Meadow Road Loughborough, LE11 5RG, United Kingdom

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global Certificate Number. QMS42099

Catalogue Number	C/4962			
Lot Number	2533985			
	Chloroform Dried Distilled			
Description				
CAS Number	67-66-3			
Quality Test/Release Date	08/Apr/2025			
Expiry Phrase	Use within 2 years of opening			
Country of Origin	Germany			
Result Name	Units	Specifications	Test Value	
Chemical form		Mobile liquid	Mobile liquid	
Residue after evaporation (ppm)	ppm	<= 2	None Detected	
Visual colour		Clear colourless	Clear colourless	

A.Ganatra

Ashok Ganatra Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.