

Thermo Fisher Scientific

Ward Hill, MA-Site
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc. Certificate Number. 951001163

- · · · · ·			
Catalogue Number	041243		
Lot Number	Q02L052 Polyvinyl alcohol, 98-99% hydrolyzed, high molecular weight 9002-89-5 02/Apr/2025 02/Apr/2030		
Description			
CAS Number			
Quality Test/Release Date			
Suggested retest date			
Country of Origin	United States		
Result Name	Units	Specifications	Test Value
Assay (unspecified)	%	< 5.0% volatiles	1.70
Appearance (Color)		Pale cream	Pale cream
Form		Granular powder	Granular Powder
Identification (FTIR)		Conforms	Conforms

John Astarita

John Astarita Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.