

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate

44640 Catalogue Number Lot Number A0467710

Description Tetrahydrofuran,99.5%,for analysis,stabilized with BHT

CAS Number 109-99-9 Quality Test/Release Date 10/Jun/2025 10/Jun/2026 Suggested retest date CHINA Country of Origin **Declaration of Origin** synthetic

Not directly derived from or manufactured with any animal byproducts in any way BSE/TSE

(Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Appearance (Color)		Clear colorless	Clear colorless
Appearance (Form)		Liquid	Liquid
Color scale	APHA	=<10	10
Infrared spectrum		Conforms	Conforms
Refractive index		1.4060 to 1.4080 (20°C, 589 nm)	1.4075 (20°C, 589 nm)
GC	%	>=99.4	99.8
Water	%	=<0.05	0.01
Peroxides	%	=<0.005	none detected
Acidity (CH3COOH)	%	=<0.001	=<0.001
Calcium (Ca)	ppm	=<0.5	=<0.02
Copper (Cu)	ppm	=<0.05	=<0.01
Cadmium (Cd)	ppm	=<0.05	=<0.05
Cobalt (Co)	ppm	=<0.05	=<0.05
Chromium (Cr)	ppm	=<0.05	=<0.05
Iron (Fe)	ppm	=<0.5	=<0.02
Magnesium (Mg)	ppm	=<0.5	=<0.02
Manganese (Mn)	ppm	=<0.05	=<0.05
Nickel (Ni)	ppm	=<0.02	=<0.02
Lead (Pb)	ppm	=<0.1	=<0.005
Zinc (Zn)	ppm	=<0.5	=<0.02
Stabilizer		0.025% BHT	0.025% BHT

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.