

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	38724
Lot Number	A0473517
Description	Cellulose microcrystalline, average particle size 50 µm
CAS Number	9004-34-6
Quality Test/Release Date	16/Jun/2025
Suggested retest date	16/Jun/2027
Country of Origin	GERMANY
Declaration of Origin	plant
BSE/TSE	sourced from Western Redcedar (Thuja plicata)

Result Name	Units	Specifications	Test Value
Appearance (Color)		White	White
Appearance (Form)		Crystalline powder	Crystalline powder
Infrared spectrum		Conforms	Conforms
Loss on drying	%	≤1.5	0.5
Residue after ignition	%	≤0.05	≤0.05
Heavy metals (as Pb)	ppm	≤10	≤10
pH		5 to 7	5.6
Particle size	%	≤1 (> 250 µm)	≤1 (> 250 µm)
Particle size	%	≤30 (> 75 µm)	22 (> 75 µm)
Particle size	%	≥50 (> 32 µm)	68 (> 32 µm)

Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.