

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number	A263
Lot Number	252445
Description	PYROGALLOL, A.C.S.
CAS Number	87-66-1
Quality Test/Release Date	27/May/2025
Suggested retest date	30/Apr/2027
Country of Origin	China

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	White, crystalline powder
CHLORIDE	%	<= 0.001	<0.0010
HEAVY METALS (as Pb)	ppm	<= 5	<5
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
IGNITION RESIDUE	%	<= 0.005	<0.001
IRON (Fe)	%	<= 0.001	<0.001
MELTING POINT	DEGREES CELSIUS	Inclusive Between 131.0 - 135.0	131.0
SULFATE (SO4)	%	<= 0.005	<0.005



Harout Sahagian
QC Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.