

Thermo Fisher SCIENTIFIC

 30 Bond Street
 220 Neck Road
 38 Shelley Road

 Ward Hill
 Ward Hill
 Ward Hill

 MA 01835
 MA 01835
 MA 01835

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.

Certificate Number. 951001163

 Catalogue Number
 011181

 Lot Number
 T01L019

Description Yttrium(III) oxide, REacton®, 99.99% (REO)

CAS Number 1314-36-9
Quality Test/Release Date 01/Jul/2025
Suggested retest date 01/Jul/2030
Country of Origin China

Result Name	Units	Specifications	Test Value
Assay (special)	%	≥99.99% of total rare earth oxides	>99.999
Chloride content	ppm	≤500ppm	0
Impurity content	ppm	Calcium oxide, CaO: ≤100ppm	1.3
Impurity content	ppm	Cerium oxide, CeO2: ≤10ppm	0
Impurity content	ppm	Dysprosium oxide, Dy2O3: ≤50ppm	0
Impurity content	ppm	Erbium oxide, Er2O3: ≤100ppm	1
Impurity content	ppm	Europium oxide, Eu2O3: ≤10ppm	0
Impurity content	ppm	Gadolinium oxide, Gd2O3: ≤10ppm	0
Impurity content	ppm	Holmium oxide, Ho2O3: ≤500ppm	1
Impurity content	ppm	Iron oxide, Fe2O3: ≤10ppm	0
Impurity content	ppm	Lanthanum oxide, La2O3: ≤10ppm	0
Impurity content	ppm	Lutetium oxide, Lu2O3: ≤10ppm	0
Impurity content	ppm	Neodymium oxide, Nd2O3: ≤10ppm	0
Impurity content	ppm	Potassium oxide, K2O: ≤100ppm	0
Impurity content	ppm	Praseodymium oxide, Pr6O11: ≤10ppm	0
Impurity content	ppm	Samarium oxide, Sm2O3: ≤10ppm	0
Impurity content	ppm	Silicon oxide, SiO2: ≤100ppm	16
Impurity content	ppm	Sodium oxide, Na2O: ≤100ppm	0
Impurity content	ppm	Terbium oxide, Tb4O7: ≤10ppm	1
Impurity content	ppm	Thulium oxide, Tm2O3: ≤10ppm	0
Impurity content	ppm	Total alkaline earths (Be, Mg, Ca, Sr, Ba, Ra): ≤75ppm	0
Impurity content	ppm	Ytterbium oxide, Yb2O3: ≤10ppm	0
Loss on ignition	%	≥1.0%	0.97
Total rare earth oxides	%	≥99.0%	99.44

John Astarita

John Astarita Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.



Thermo Fisher Scientific Ward Hill, MA-Sites

 30 Bond Street
 220 Neck Road
 38 Shelley Road

 Ward Hill
 Ward Hill
 Ward Hill

 MA 01835
 MA 01835
 MA 01835

development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.