



## **CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global Certificate Number. QMS42099

Catalogue Number S/9240 Lot Number 2538855

Description Sulfuric acid about 1.83 S.G. AR For analysis

CAS Number 7664-93-9
Quality Test/Release Date 10/Jun/2025

Expiry Phrase Use within 3 years of packing date

Country of Origin United Kingdom

Result Name	Units	Specifications	Test Value
Aluminium (Al)	ppm	<= 0.05	<0.05
Arsenic (As)	ppm	<= 0.01	<0.005
Assay	%	>= 95.0 and <= 97.5	95.87
Barium (Ba)	ppm	<= 0.05	<0.01
Cadmium (Cd)	ppm	<= 0.01	<0.002
Calcium (Ca)	ppm	<= 0.5	<0.2
Chemical form		Mobile liquid	Mobile liquid
Chromium (Cr)	ppm	<= 0.1	<0.02
Cobalt (Co)	ppm	<= 0.01	<0.005
Colour	APHA	<= 10	<5
Copper (Cu)	ppm	<= 0.05	<0.01
Iron (Fe)	ppm	<= 0.5	<0.05
Lead (Pb)	ppm	<= 0.02	<0.002
Lithium (Li)	ppm	<= 0.01	<0.005
Magnesium (Mg)	ppm	<= 0.2	<0.02
Manganese (Mn)	ppm	<= 0.01	<0.01
Molybdenum (Mo)	ppm	<= 0.02	<0.01
Nickel (Ni)	ppm	<= 0.05	<0.02
Nitrate (NO3) (%)	%	<= 0.00002	<0.00002
Potassium (K)	ppm	<= 0.5	<0.02
Residue after ignition	%	<= 0.0005	<0.0001
Selenium (Se)	ppm	<= 0.5	<0.005
Silver (Ag)	ppm	<= 0.05	<0.005
Sodium (Na)	ppm	<= 1	<0.2
Strontium (Sr)	ppm	<= 0.02	<0.005
Substances reducing KMnO4	%	<= 0.0001	<0.0001
Titanium (Ti)	ppm	<= 0.02	<0.005
Total chloride (CI)	%	<= 0.00002	<0.0001
Total nitrogen (N)	ppm	<= 5	1.2
Vanadium (V)	ppm	<= 0.01	<0.01
Visual colour		Clear colourless	Clear colourless
Zinc (Zn)	ppm	<= 0.2	<0.02

A.Ganatra

Ashok Ganatra Supervisor, QC





Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.