

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	24392
Lot Number	A0468059
Description	Kjeldahl tablets with selenium (Wieninger)
CAS Number	7782-49-2
Quality Test/Release Date	29/Nov/2024
Suggested retest date	29/Nov/2029
Country of Origin	UNITED KINGDOM
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		Dark grey	Dark grey
Appearance (Form)		Tablets with green or blue speckles	Tablets with green or blue speckles
Nitrogen (N)	%	=<0.05	=<0.05
Additional info		Copper sulphate pentahydrate (per tablet):	Copper sulphate pentahydrate (per tablet):
Additional info		68 to 82 mg	68 to 82 mg
Additional info		Average weight range (per tablet):	Average weight range (per tablet):
		4.85 to 5.15 g	4.85 to 5.15 g



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.