

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number	LS119
Lot Number	256735
Description	WATER WITH 0.1% (V/V) TRIFLUOROACETIC ACID, OPTIMA-LCMS GRADE
CAS Number	76-05-1,7732-18-5
Quality Test/Release Date	05/Jun/2026
Suggested retest date	04/Jun/2031
Country of Origin	United States
Declaration of Origin	Organic - non animal

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear, colorless liquid
ASSAY (V/V) TRIFLUOROACETIC ACID	%	Inclusive Between 0.095 - 0.105	0.102
COLOR	APHA	<= 10	<10
EVAPORATION RESIDUE	ppm	<= 1	<1
IDENTIFICATION	PASS/FAIL	IN PASS TEST	PASS TEST
IONIC IMPURITY - ALUMINUM (Al)	ppb	<= 20	<1
IONIC IMPURITY - CALCIUM (Ca)	ppb	<= 50	<1
IONIC IMPURITY - COPPER (Cu)	ppb	<= 10	<1
IONIC IMPURITY - IRON (Fe)	ppb	<= 10	1
IONIC IMPURITY - LEAD (Pb)	ppb	<= 10	<1
IONIC IMPURITY - MAGNESIUM (Mg)	ppb	<= 10	<1
IONIC IMPURITY - MANGANESE (Mn)	ppb	<= 10	<1
IONIC IMPURITY - NICKEL (Ni)	ppb	<= 10	<1
IONIC IMPURITY - POTASSIUM (K)	ppb	<= 20	1
IONIC IMPURITY - SILVER (Ag)	ppb	<= 10	<1
IONIC IMPURITY - SODIUM (Na)	ppb	<= 50	<1
IONIC IMPURITY - ZINC (Zn)	ppb	<= 20	<1
LC GRADIENT TEST WITH PDA (200-400 NM)	mAU	<= 2	<2
LCMS SUITABILITY - POS. MODE (AS PROPAZINE)	ppb	<= 50	<50
OPTICAL ABS AT 210 NM	ABS. UNITS	<= 0.55	0.55
OPTICAL ABS AT 220 NM	ABS. UNITS	<= 0.20	0.19
OPTICAL ABS AT 230 NM	ABS. UNITS	<= 0.06	0.06
OPTICAL ABS AT 254 NM	ABS. UNITS	<= 0.003	<0.001
PROTEASE	DETECTED/NOT DETECT.	IN NOT DETECTED	NOT DETECTED



Harout Sahagian  
QC Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.