

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number BP2470
Lot Number 260632
Description DNA GRADE WATER
CAS Number 7732-18-5
Quality Test/Release Date 26/Mar/2026
Suggested retest date 25/Mar/2031
Country of Origin United States
Declaration of Origin Inorganic-non animal

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear Colorless Liquid
CONDUCTIVITY (WATER)	uS/cm		1.0
DNASE	DETECTED/NOT DETECT.	= NOT DETECTED	NOT DETECTED
PH AT 25 DEGREES C		Inclusive Between 5.4 - 7.0	6.0
PROTEASE	DETECTED/NOT DETECT.	= NOT DETECTED	NOT DETECTED

Harout Sahagian
QC Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.