

Fisher Scientific UK Ltd. Bishop Meadow Road Loughborough, LE11 5RG, United Kingdom

0.2

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global Certificate Number. QMS42099

Catalogue Number	J/5820		
Lot Number	2545122		
Description	Perchloric acid 0.1M in acetic acid SVS		
Quality Test/Release Date	22/Jul/2025		
Expiry Phrase	Use within 1 year of packing date		
Country of Origin	United Kingdom		
Declaration of Origin	Synthetic		
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way		
DSE/1SE	(Including but not limited to fermentation or nutrient broth, catalysts, enzymes).		
Result Name	Units	Specifications	Test Value
Chemical form		Mobile liquid	Mobile liquid
Factor		>= 0.998 and <= 1.002	0.9988
Visual colour		Clear colourless	Clear colourless

Additional Information Traceable to NIST

Water

A.Ganatra

<= 0.2

%

Ashok Ganatra Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.