

Thermo Fisher Scientific Ward Hill, MA-Sites

 30 Bond Street
 220 Neck Road
 38 Shelley Road

 Ward Hill
 Ward Hill
 Ward Hill

 MA 01835
 MA 01835
 MA 01835

## **CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.

Certificate Number. 951001163

Trace Metal	%	Total metal impurities less than 0.004279 0.005% excluding Hf, Hf nominal 3%	
Result Name	Units	Specifications	Test Value
Country of Origin	China		
Suggested retest date	03/Oct/2055		
Quality Test/Release Date	03/Oct/2025		
CAS Number	7440-67-7		
Description	basis excluding Hf), Hf nominal 3%		
Decembrica	Zirconium slug, 3.175mm (0.125in) dia x 6.35mm (0.25in) length, 99.95% (metals		
Lot Number	X03L028		
Catalogue Number	042558		

Derek Roy Quality Manager, LCD

Dut h. Roy

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.