

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
 Certificate Number. 951001163

Catalogue Number	047329
Lot Number	X10L728
Description	Tetrahydrofuran, Spectrophotometric grade, 99.7+%, unstab., packaged under Argon in resealable AcroSeal® bottles
CAS Number	109-99-9
Quality Test/Release Date	14/Oct/2025
Suggested retest date	14/Oct/2026
Country of Origin	Taiwan
Declaration of Origin	Synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Color (APHA)		≤10	<5
Assay	%	≥99.7% (GC)	>99.99
Appearance (Color)		Clear colorless	Clear colorless
Form		Liquid	Liquid
Residual water	%	≤0.03%	0.003
Optical Absorbance at	AU	212 nm: ≤1.00 AU	0.35
Optical Absorbance at	AU	225 nm: ≤ 0.50 AU	0.17
Optical Absorbance at	AU	250 nm: ≤0.17 AU	0.08
Optical Absorbance at	AU	350 nm: ≤0.01 AU	0.003
Peroxide content	%	≤0.015% (as H ₂ O ₂ at time of packaging)	<0.004
Residue on Evaporation	ppm	≤5 ppm	0.5



Derek Roy
 Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.