

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
Certificate Number. 951001163

Catalogue Number	J67371
Lot Number	R30M558
Description	Hygromycin B, 50 mg/ml in distilled water, sterile-filtered
CAS Number	31282-04-9
Quality Test/Release Date	20/May/2026
Suggested retest date	20/May/2031
Country of Origin	Canada
Declaration of Origin	Other
BSE/TSE	Produced by Fermentation. BSE/TSE Free.

Result Name	Units	Specifications	Test Value
Appearance (Color)		Pale yellow to brown	Pale yellow
Concentration	mg/ml	50mg/ml	50
Form		Liquid	Liquid



Derek Roy
Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.