

Thermo Fisher Scientific Ward Hill, MA-Sites

 30 Bond Street
 220 Neck Road
 38 Shelley Road

 Ward Hill
 Ward Hill
 Ward Hill

 MA 01835
 MA 01835
 MA 01835

## **CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.

Certificate Number. 951001163

Catalogue Number J61887 Lot Number S07L011

Description Alginic acid sodium salt, high viscosity

CAS Number 9005-38-3
Quality Test/Release Date 09/Jun/2025
Suggested retest date 09/Jun/2028
Country of Origin China
Declaration of Origin Plant

BSE/TSE Vegetable:Giant kelp

Result Name	Units	Specifications	Test Value
Assay (special)		Total bacterial counts: ≤10000 cfu/g	Conforms
Assay (special)		Coliforms:≤10 cfu/g	Conforms
Assay (special)	ppm	Arsenic: ≤3 ppm	=<2
Assay (special)	ppm	Lead: ≤5 ppm	=<5
Appearance (Color)		White	White
Form		Powder	Powder
Loss on Drying	%	≤15.0%	13.2
pH		6.0 to 8.0 (1% solution)	6.7
Particle Size		min 95.0% through 180 µm (80 Ms)Conforms	
Viscosity	mPa's	1000 to 1500 mPa's (1% solution) 1270	

John Astarita

John Astarita

Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.