

Thermo Fisher Scientific

Ward Hill, MA-Site
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200

## **CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc. Certificate Number. 951001163

Form		Crystalline	Crystalline	
Appearance (Color)		Reddish brown	Reddish brown	
Assay (special)	%	Pd 39.0-39.9%	39.71	
Result Name	Units	Specifications	Test Value	
Country of Origin	United States			
Suggested retest date	30/Apr/2030			
Quality Test/Release Date	30/Apr/2025			
CAS Number	207596-32-5			
Description	Palladium(II) nitrate hydrate, 99.8% (metals basis), Pd 39% min			
Lot Number	Q30L007			
Catalogue Number	011035			

John Astarita

John Astarita Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.