



CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate

Number. 2317548

Catalogue Number	22757
Lot Number	A0456673

Description beta-Nicotinamide adenine dinucleotide phosphate sodium salt hydrate,97+%

CAS Number 698999-85-8
Quality Test/Release Date 04/May/2025
Suggested retest date 04/May/2028
Country of Origin JAPAN
Declaration of Origin synthetic

BSE/TSE Not directly derived from or manufactured with any animal byproducts in any way

(Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Appearance (Color)		White to light yellow	White
Appearance (Form)		Powder	Powder
Infrared spectrum		Conforms	Conforms
Assay	%	>=97.0 (NADP, mono-Na) (calc. from enzymatic	98.8 (NADP, mono-Na) (calc. from enzymatic
Assay		determination, based on dry weight)	determination, based on dry weight)
Water	%	=<6.0 (K.F.)	0.7 (K.F.)
Ratio of Absorbances		0.80 to 0.86 (A250/A260, pH 7.5)	0.83 (A250/A260, pH 7.5)
Ratio of Absorbances		0.18 to 0.24 (A280/A260, pH 7.5)	0.22 (A280/A260, pH 7.5)

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.