

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
 Certificate Number. 951001163

Catalogue Number	J60540
Lot Number	Z30L916
Description	LB Agar plate with 50µg/ml kanamycin
Quality Test/Release Date	09/Jan/2026
Suggested retest date	09/Jan/2027
Country of Origin	United States
Declaration of Origin	Animal
BSE/TSE	Material derived from the following animal sources: Bovine, Porcine

Result Name	Units	Specifications	Test Value
Appearance (Color)		Yellow to light grey	Yellow
Form		Soft gel	Soft gel



Derek Roy
 Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.