

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	44724
Lot Number	A0467707
Description	Xylenes,99%,for biochemistry and histology,mixed isomers with ethylbenzene, AcroSeal®
CAS Number	1330-20-7
Quality Test/Release Date	27/Nov/2024
Suggested retest date	27/Nov/2029
Country of Origin	SPAIN
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Form)		Clear liquid	Clear liquid
Color scale	APHA	≤10	10
Infrared spectrum		Conforms	Conforms
Refractive index		1.4950 to 1.4990 (20°C, 589 nm)	1.4978 (20°C, 589 nm)
Residue after evaporation	%	≤0.002	0.0001
Water	%	≤0.05	0.01
GC	%	≥98.5 Mixture of isomers + Ethylbenzene	99.3 Mixture of isomers + Ethylbenzene
GC	%	≤25 Ethylbenzene	13.1 Ethylbenzene
GC	%	≤0.1 Benzene	≤0.01 Benzene
GC	%	≤0.4 Toluene	≤0.4 Toluene
Heavy metals (as Pb)	ppm	≤5	≤0.2
Acidity/alkalinity	meq/g	≤0.00025	0.00001
Sulfur compounds (as S)	%	≤0.003	≤0.003
Aluminium (Al)	ppm	≤0.5	≤0.5
Cadmium (Cd)	ppm	≤0.1	≤0.1
Chromium (Cr)	ppm	≤0.05	≤0.05
Cobalt (Co)	ppm	≤0.1	≤0.1
Copper (Cu)	ppm	≤0.05	≤0.05
Iron (Fe)	ppm	≤0.2	≤0.2
Nickel (Ni)	ppm	≤0.05	≤0.05



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.