



CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate

Number. 2317548

Catalogue Number	30988
Lot Number	A0472767

Description D-Glucuronic acid,98%

CAS Number 6556-12-3
Quality Test/Release Date 27/May/2025
Suggested retest date 27/May/2030
Country of Origin CHINA
Declaration of Origin plant

BSE/TSE Raw material is glucose, extracted from maize starch

Result Name	Units	Specifications	Test Value
Appearance (Color)		White to off-white	White
Appearance (Form)		Crystalline powder	Crystalline powder
Infrared spectrum		Conforms	Conforms
Titration with NaOH	%	>=97.5	101.2
Water	%	=<1 (K.F.)	0.69 (K.F.)
Specific optical rotation		+35.5° to +37.5° (20°C, 589 nm) (c=6, H2O)	+36.1° (20°C, 589 nm) (c=6, H2O)
Specific optical rotation		after 4 h	after 4 h

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.