

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.  
Certificate Number. 951001163

Catalogue Number	J62671
Lot Number	R02L020
Description	G418 disulfate, Cell Culture Reagent
CAS Number	108321-42-2
Quality Test/Release Date	02/May/2025
Suggested retest date	02/May/2028
Country of Origin	China

Result Name	Units	Specifications	Test Value
Assay (special)	µg/ ml	Biological assay (ED50 resistant): ? 2500 µg/ ml	=>2500
Assay (special)	µg/ ml	Biological assay (ED50 sensitive): ? 400 µg/ ml	=<400
Assay (HPLC)	%	? 98%	99.81
Appearance (Color)		White	White
Form		Powder	Powder
pH		4.6 to 6.0	5.53
Potency	units/ mg	? 720 units/ mg	785
Solution Test		Solubility in 100 mg/ml: Clear to slightly hazy solution	Clear and complete



John Astarita  
Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.