



CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate

Number. 2317548

Catalogue Number	13060
Lot Number	A0448250
Description	Phenyl ether,99%
CAS Number	101-84-8
Quality Test/Release Date	22/Dec/2024

Quality Test/Release Date22/Dec/2024Suggested retest date22/Dec/2026Country of OriginCHINADeclaration of Originsynthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		Clear light yellow	Clear light yellow
Appearance (Form)		Liquid after melting	Liquid after melting
Infrared spectrum		Conforms	Conforms
GC	%	>=98.5	99.9
Refractive index		1.5795 to 1.5815 (20°C, 589 nm)	1.5814 (20°C, 589 nm)

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.