

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by LRQA. Certificate Number. 10551915

Catalogue Number	042040
Lot Number	10254648
Description	Alizarin Red S sodium salt
CAS Number	130-22-3
Quality Test/Release Date	16/Apr/2025
Suggested retest date	16/Apr/2030
Country of Origin	India
Declaration of Origin	Synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		Yellow or orange to red/brown or brownish yellow	Orange
Color Change		Orange-brown @ pH 9.4 to Violet @ pH 12.0	Orange @ pH 9.4 to Violet @ pH 12.0
Color Change Form		Yellow @ pH 4.3 to Pink @ pH 6.3	Yellow @ pH 4.3 to Pink @ pH 6.3
Loss on Drying	%	Powder	Powder
lambda-max (UV-Vis)		≤10.0% (105°C/constant weight)	5.93
lambda-max (UV-Vis)	nm	550-560nm (in 0.1N NaOH)	554
lambda-max (UV-Vis)	nm	590-600nm (in 0.1N NaOH)	594
Solution Test		Clear solution (0.1% in H2O)	Clear solution



Paul Coleman
Site Quality Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.