

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	21904
Lot Number	A0478898
Description	Drierite®, without indicator, 6 mesh
CAS Number	7778-18-9
Quality Test/Release Date	11/Dec/2025
Suggested retest date	11/Dec/2027
Country of Origin	UNITED STATES OF AMERICA
Declaration of Origin	Mineral

Result Name	Units	Specifications	Test Value
Appearance (Color)		White to greyish-white	greyish-white
Appearance (Form)		Irregular granules	Irregular granules
Water	%	≤0.3	≤0.3
Composition	%	≥99.5 (CaSO ₄) Typical	≥99.5 (CaSO ₄) Typical
Particle size	mesh	6	6



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.