

Turbidity

Avocado Research Chemicals (Thermo Fisher Scientific) Shore Road, Port of Heysham Industrial Park Heysham, LA3 2XY, United Kingdom

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by LRQA. Certificate Number. 10551915

| | Catalogue Number | A18820 | | |
|---|---|-------------|---|--------------------------------------|
| | Lot Number | 10255047 | | |
| | Description | Saponin | | |
| | CAS Number | 8047-15-2 | | |
| | Quality Test/Release Date | 08/May/2025 | | |
| | Suggested retest date | 08/May/2030 | | |
| | Country of Origin | Germany | | |
| | Declaration of Origin | Plant | | |
| | BSE/TSE | Vegetable | | |
| | | | | |
| | Result Name | Unite | Specifications | Tost Value |
| | Result Name | Units | Specifications | Test Value |
| _ | Comment | mN/m | Surface Tension 35-55mN/m | 46.0 |
| _ | | mN/m | · | 46.0 |
| _ | Comment | mN/m | Surface Tension 35-55mN/m | 46.0 |
| _ | Comment Appearance (Color) | mN/m | Surface Tension 35-55mN/m White to pale yellow or pale cream | 46.0 Pale cream |
| | Comment Appearance (Color) Form | mN/m | Surface Tension 35-55mN/m White to pale yellow or pale cream Powder 6-17cm | 46.0 Pale cream Powder |
| _ | Comment Appearance (Color) Form Foam rate | mN/m | Surface Tension 35-55mN/m White to pale yellow or pale cream Powder 6-17cm | 46.0 Pale cream Powder 12.0 |

Paul Coleman Site Quality Manager

<= 70 Formazin turbidity units

5.1

TE/F

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.