

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global
Certificate Number. QMS42099

Catalogue Number	19656
Lot Number	2209427
Description	Iodine
CAS Number	7553-56-2
Quality Test/Release Date	19/Jan/2022
Expiry Phrase	Use within 5 yrs of opening
Country of Origin	Japan

Result Name	Units	Specifications	Test Value
Assay	%	>= 99.4	100
Chemical form		Spheres	Spheres
Chloride & bromide	%	<= 0.005	<0.005
Non volatile matter	%	<= 0.01	None Detected
Visual colour		Metallic	Metallic

A. Ganatra

Ashok Ganatra
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.