

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
 Certificate Number. 951001163

Catalogue Number	036687
Lot Number	Q08M026
Description	Molybdenum(VI) oxide, ACS, 99.5% min
CAS Number	1313-27-5
Quality Test/Release Date	09/Apr/2026
Suggested retest date	09/Apr/2031
Country of Origin	United States
Declaration of Origin	Synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Assay (unspecified)	%	99.5% MoO ₃ min	>99.80
Impurity content	%	SO ₄ 0.02%	<0.020
Impurity content	ppm	PO ₄ 5ppm	<5
Impurity content	%	NO ₃ P.T. (limit about 0.003%)	<0.003
Impurity content	%	NH ₄ 0.002%	<0.002
Impurity content	%	Insoluble in dilute ammonium hydroxide 0.01%	<0.010
Impurity content	%	Cl 0.002%	<0.002
Impurity content	%	Arsenate, phosphate, and silicate (as SiO ₂) 0.001%	<0.001
Trace Metals	%	(as Pb) 0.005%	<0.005



Derek Roy
 Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.