

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	36423
Lot Number	A0473084
Description	Dichloromethane,99.8%,for HPLC,stabilized with methanol
CAS Number	75-09-2
Quality Test/Release Date	10/Jun/2025
Suggested retest date	10/Jun/2028
Country of Origin	UNITED KINGDOM
Declaration of Origin	synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Appearance (Form)		Clear liquid	Clear liquid
Color scale	APHA	=<5	=<5
GC	%	>=99.8	99.9
Water	%	=<0.02	0.006
UV		at 233 nm A: =<1	at 233 nm A:0.49
UV		at 240 nm A: =<0.2	at 240 nm A:0.1
UV		at 250 nm A: =<0.02	at 250 nm A:0.01
UV		at 260 nm A: =<0.005	at 260 nm A:0.0046
UV		at 270 nm A: =<0.005	at 270 nm A:0.003
UV		at 280 nm A: =<0.005	at 280 nm A:0.003
UV		1 cm cell vs HPLC-grade water	1 cm cell vs HPLC-grade water
Acidity	meq/g	=<0.0001	=<0.0001
Free chlorine	%	=<0.0005	=<0.0005
Residue after evaporation	%	=<0.0002	=<0.0002
Stabilizer		Approx. 0.4 % Methanol	Approx. 0.4 % Methanol
Filtered to 0.2 micrometer		Filtered	Filtered



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.