

**CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global  
Certificate Number. QMS42099

Catalogue Number E/0906  
Lot Number 2540818  
Description Ethyl acetate HPLC Solvent For residue analysis  
CAS Number 141-78-6  
Quality Test/Release Date 09/Jun/2025  
Expiry Phrase Use within 5 yrs of opening  
Country of Origin Mexico

Result Name	Units	Specifications	Test Value
Absorbance @ 260 nm	A.U.	<= 0.12	0.076
Absorbance @ 270 nm	A.U.	<= 0.025	0.005
Absorbance @ 280 nm	A.U.	<= 0.005	0.002
Acidity/alkalinity (meq/g)	meq/g	<= 0.0015	0.00003
Assay (GC)	%	>= 99.5	99.97
Chemical form		Mobile liquid	Mobile liquid
Residue after evaporation (ppm)	ppm	<= 2	5.5
Visual colour		Clear colourless	Clear colourless
Water	%	<= 0.03	0.01
Wavelength @ 1 A.U.	nm	<= 255	252.4

**Additional Information** Filtered to 0.2 micron

*A. Ganatra*

Ashok Ganatra  
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.