

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	19837
Lot Number	A0468927
Description	Hydriodic acid,for analysis,57 wt.% aqueous solution, distilled, stabilized
CAS Number	10034-85-2
Quality Test/Release Date	15/Jan/2025
Suggested retest date	15/Jan/2027
Country of Origin	UNITED STATES OF AMERICA
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		Clear light yellow to amber	Clear light amber
Appearance (Form)		Solution	Solution
Appearance		May darken on storage	May darken on storage
Titration with NaOH	%	>=55.0	57.2
Stabilizer	%	0.75 H3PO2	0.75 H3PO2



Geert Torfs  
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.