

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number	42145
Lot Number	B0157033
Description	TRICHLOROACETIC ACID, REAGENT ACS, 99%
CAS Number	76-03-9
Quality Test/Release Date	23/Sep/2025
Suggested retest date	19/May/2027
Country of Origin	Germany
Declaration of Origin	Organic - non animal
BSE/TSE	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Colorless to white solid
ASSAY	%	>= 99.0	99.9
CHLORIDE	%	<= 0.002	<0.002
CLARITY OF SOLUTION	PASS/FAIL	= PASS TEST	PASS TEST
HEAVY METALS (as Pb)	%	<= 0.002	<0.002
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
INSOLUBLE MATTER	%	<= 0.01	<0.01
IRON (Fe)	%	<= 0.001	<0.001
NITRATE (NO3)	%	<= 0.002	<0.002
PHOSPHATE (PO4)	ppm	<= 5	<5
RESIDUE AFTER IGNITION	%	<= 0.03	<0.01
SUBSTANCES DARKENED BY H2SO4	PASS/FAIL	= PASS TEST	PASS TEST
SULFATE (SO4)	%	<= 0.02	<0.02



Harout Sahagian  
QC Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.