

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number	BP2647
Lot Number	251374
Description	BLASTICIDIN S
CAS Number	3513-03-9
Quality Test/Release Date	03/Jun/2025
Suggested retest date	30/Nov/2027
Country of Origin	Japan

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	White powder
IDENTIFICATION	PASS/FAIL	IN PASS TEST	PASS TEST
POTENCY (ASSAY)	UG/MG	>= 900	909.2
PURITY	%	>= 99.0	99.1
SOLUBILITY		IN CLEAR, SLIGHTLY YELLOW SOLUTION AT 5 MG/ML IN WATER	CLEAR, SLIGHTLY YELLOW SOLUTION AT 5 MG/ML IN WATER



Matthew Micek  
QC Supervisor

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.