

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
Certificate Number. 951001163

Catalogue Number	J61229
Lot Number	R10M546
Description	Carbonate, 0.5M buffer soln., pH 10.0
CAS Number	497-19-8
Quality Test/Release Date	06/May/2026
Suggested retest date	06/May/2031
Country of Origin	United States
Declaration of Origin	Other
BSE/TSE	Origin is not animal. Not directly derived from/manufactured with any animal byproducts in any way (including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Composition	mM	Sodium Carbonate/Sodium Bicarbonate: Reported	500
Appearance (Color)		Reported	Colorless
Form		Reported	Clear liquid
pH		Reported	10.00 +/-0.15



Derek Roy
Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.