

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	11866
Lot Number	A0483087
Description	Ethyl L(-)-lactate,97%
CAS Number	687-47-8
Quality Test/Release Date	27/May/2026
Suggested retest date	27/May/2029
Country of Origin	NETHERLANDS
Declaration of Origin	other
BSE/TSE	from lactic acid by fermentation

Result Name	Units	Specifications	Test Value
Appearance (Form)		Clear liquid	Clear liquid
Color scale	APHA	=<50	10
Infrared spectrum		Conforms	Conforms
GC	%	>=96.0	99.9
Water	%	=<0.3 (K.F.)	0.03 (K.F.)
Specific gravity		(20°C) 1.03 to 1.038	(20°C) 1.036
Refractive index		1.4120 to 1.4140 (20°C, 589 nm)	1.4130 (20°C, 589 nm)
Specific optical rotation		-8° to -12° (20°C, 589 nm) (neat)	-10.3° (20°C, 589 nm) (neat)
Acidity	%	=<0.1 (as lactic acid)	=<0.1 (as lactic acid)
Non-volatile matter	%	=<0.01	0.0004

Geert Torfs  
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.